



**COMPENSATED  
DENSITY  
EPI-NEUTRON  
TEMPERATURE**

Company PSI WIRELINE, INC.  
Well WELL NAME  
Field FIELD NAME  
County TOM GREEN  
State TX

Company PSI WIRELINE, INC.  
Well WELL NAME  
Field FIELD NAME  
County TOM GREEN State TX

Location: API #: 00-000-00000  
000' FNL & 000' FWL  
RR CO. SURVEY  
SEC 00 BLK 0 ABS 0000  
Permanent Datum GROUND LEVEL Elevation 0000'  
Log Measured From KELLY BUSHING  
Drilling Measured From KELLY BUSHING

Other Services  
Elevation  
K.B. 0000'  
D.F. 0000'  
G.L. 0000'

Date	March 01, 2009
Run Number	ONE
Depth Driller	0000'
Depth Logger	0000'
Bottom Logged Interval	0000'
Top Log Interval	000'
Casing Driller	0.0" @ 000'
Casing Logger	000'
Bit Size	0.0"
Type Fluid in Hole	GAS
Density / Viscosity	AIR DRILL
pH / Fluid Loss	
Source of Sample	
Rm @ Meas. Temp	
Rmf @ Meas. Temp	
Rmc @ Meas. Temp	
Source of Rmf / Rmc	
Rm @ BHT	
Time Circulation Stopped	00:00
Time Logger on Bottom	00:00
Maximum Recorded Temperature	000 dF
Equipment Number	41
Location	San Angelo
Recorded By	ENGINEER
Witnessed By	COMPANY REP.

<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.




**Comments**



FILE#0000


0	Gamma Ray (GAPI)	200
6	Caliper (in)	16
0	Minute mark	30
TBHV (ft3)		ABHV (ft3)

30	Neutron Porosity (Lime) (pu)		-10
30	Density Porosity (Pg = 2.71) (pu)		-10
150	Down Temp (degF)		170
-0.5	Down dTemp (degF)	0.5	Up dTemp (degF) 0.5
180	Up Temp (degF)		200
100	temp (degF)		120
120	temp (degF)		140
140	temp (degF)		160
160	temp (degF)		180
dtemp (degF)			TBMP (degF)

















0	Gamma Ray (GAPI)	200
6	Caliper (in)	16
0	Minute mark	30



30	Neutron Porosity (Lime) (pu)	-10
30	Density Porosity (Pg = 2.71) (pu)	-10
150	Down Temp (degF)	170

TBHV (ft3)	ABHV (ft3)	-0.5	Down dTemp (degF)	0.5	-0.5	Up dTemp (degF)	0.5
		180		Up Temp (degF)			200
		100		temp (degF)			120
		120		temp (degF)			140
		140		temp (degF)			160
		160		temp (degF)			180
		dtemp (degF)					TBMP (degF)

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
GR	17.92		GR-PSI (178) PSIGR	3.25	3.50	40.00
TEMP	15.00		TEMP-PSIS (154) PSISTACKING TEMP	2.67	3.50	30.00
CNLSC CNSSC	12.50 12.50		CNT-PSI (791)	5.00	3.50	100.00
			CDL-PSI (140/180)	9.00	4.50	225.00
DCAL	3.50					
LSD	3.00					
SSD	2.50					

		Dataset:		3064.db: field/well/run1/pass3					
		Total Length:		19.92 ft					
		Total Weight:		395.00 lb					
		O.D.:		4.50 in					